U.S. DEPARTMENT OF ENERGY Home Energy Score OMB Control #: 1910-5184 Exp. Date: 10/31/2019. DOE HQ F 413.25

Home Energy Scoring Tool

Data Collection Form

Location Information					
Address:C	ity:	<u>State</u> :	<u>Zip</u> :		
Assessment Type: Initial / Final / QA / Alternative	EEM (Energy Efficiency	/ Measures) /	Test / Corrected	d / Mentor	
Assessment Date: Assessor	:				
Comments:					
Home Details					
Year Built: # of Bedrooms:	# of Stories A	<u>bove Grade</u> :			
Average Ceiling Height (ft): Conditioned Floor Area (sq ft):					
Direction Faced by Front of House: N / NE / E / SE / S / SW / W / NW					
<u>Air Tightness</u>					
Was a Blower Door test conducted on this house?: Yes / No					
Air Leakage rate: cfm50 Has the house been professionally air sealed?: Yes / No					
Roof / Attic 1 Attic 1 Floor Area (sq ft):					
Roof Construction: Standard Roof / with Radiant Barrier / with Rigid Foam Sheathing					
Exterior Finish: Composition Shingles or Metal / Wood Shakes / Clay Tile / Concrete Tile / Tar & Gravel					
Insulation Level (applied to roof): R-0 / R-11 / R-13 / R-15 / R-19 / R-21 / R-27 / R-30					
Roof Color: White / Light / Medium / Medium Dark / Dark / Cool Color: (reflectivity)					
Attic or Ceiling Type: Unconditioned Attic / Condit	tioned Attic / Cathedra	ll Ceiling			
Attic Floor Insulation: R-0 / R-3 / R-6 / R-9 / R-11 / R-19 / R-21 / R-25 / R-30 / R-38 / R-44 / R-49 / R-60					

Attic 2 Floor Area (sq ft): Roof / Attic 2 Roof Construction: Standard Roof / with Radiant Barrier / with Rigid Foam Sheathing Exterior Finish: Composition Shingles or Metal / Wood Shakes / Clay Tile / Concrete Tile / Tar & Gravel Insulation Level (applied to roof): R-0 / R-11 / R-13 / R-15 / R-19 / R-21 / R-27 / R-30 Roof Color: White / Light / Medium / Medium Dark / Dark / Cool Color: (reflectivity) Attic or Ceiling Type: Unconditioned Attic / Conditioned Attic / Cathedral Ceiling Attic Floor Insulation: R-0 / R-3 / R-6 / R-9 / R-11 / R-19 / R-21 / R-25 / R-30 / R-38 / R-44 / R-49 / R-60 Foundation 1 Foundation 1 Area (sq ft): Type: Slab-on-Grade / Unconditioned Basement / Conditioned Basement / Unvented Crawlspace / Vented Crawlspace Floor Insulation over Basement or Crawlspace: R-0 / R-11 / R-13 / R-15 / R-19 / R-21 / R-25 / R-30 / R-38 Foundation Wall Insulation: R-0 / R-5 (slab only) / R-11 (bsmt/crawl wall) / R-19 (bsmt/crawl wall) Foundation 2 Foundation 2 Area (sq ft): Type: Slab-on-Grade / Unconditioned Basement / Conditioned Basement / Unvented Crawlspace / Vented Crawlspace Floor Insulation over Basement or Crawlspace: R-0 / R-11 / R-13 / R-15 / R-19 / R-21 / R-25 / R-30 / R-38 Foundation Wall Insulation: R-0 / R-5 (slab only) / R-11 (bsmt/crawl wall) / R-19 (bsmt/crawl wall)

<u>Walls</u>

Is this home a Townhouse or Duplex?: Yes / No

Position of Unit: Middle / Right / Left

Wall Characteristics: Front or All (circle one)

<u>Construction</u>: Wood Frame / Wood Frame with rigid foam sheathing / Wood Frame with Optimum Value Engineering (OVE) / Structural Brick / Concrete Block or Stone / Straw Bale

Exterior Finish: Wood Siding, Fiber Cement, Composite Shingle or Masonite Siding / Stucco / Vinyl Siding / Aluminum Siding / Brick Veneer

Wall Insulation: R-0 / R-3 / R-7 / R-11 / R-13 / R-15 / R-19 / R-21 / R-27 / R-33 / R-38

Skylights: Yes or No (circle one):

Total Skylight Area (sq. ft.): Number of Panes:					
Frame Type: Aluminum / Aluminum with Thermal Break / Wood or Vinyl					
Glazing Type: Clear / Tinted / Solar-control low-E / Solar-control low-E, argon gas fill / Insulating low-E / Insulating low-E, argon gas fill					
<u>-OR- Actual window specifications</u> = <u>U-Factor</u> (from 0.01 – 5): <u></u> <u>SHGC</u> (from 0 – 1):					
<u>Window Area (sq. ft.):</u>					
Front: Back: Right Side: Left Side:					
Window Characteristics: Front or All (circle one)					
Panes: Single-pane / Double-pane / Triple-pane					
Frame Type: Aluminum / Aluminum with Thermal Break / Wood or Vinyl					
<u>Glazing Type</u> : Clear / Tinted / Solar-control low-E / Solar-control low-E, argon gas fill / Insulating low-E / Insulating low-E, argon gas fill					
<u>-OR- Actual window specifications</u> = <u>U-Factor</u> (from 0.01 – 5): <u>SHGC</u> (from 0 – 1):					
Wall Characteristics: Back					
<u>Construction</u> : Wood Frame / Wood Frame with Rigid Foam Sheathing / Wood Frame with Optimum Value Engineering (OVE) / Structural Brick / Concrete Block or Stone / Straw Bale					
Exterior Finish: Wood Siding, Fiber Cement, Composite Shingle or Masonite Siding / Stucco / Vinyl Siding / Aluminum Siding / Brick Veneer					
Wall Insulation: R-0 / R-3 / R-7 / R-11 / R-13 / R-15 / R-19 / R-21 / R-27 / R-33 / R-38					

Window Characteristics: Back

Panes: Single-pane / Double-pane / Triple-pane

Frame Type: Aluminum / Aluminum with Thermal Break / Wood or Vinyl

<u>Glazing Type</u>: Clear / Tinted / Solar-control low-E / Solar-control low-E, argon gas fill / Insulating low-E / Insulating low-E, argon gas fill

<u>-OR- Actual window specifications</u> = <u>U-Factor</u> (from 0.01 – 5): <u>SHGC</u> (from 0 – 1): _____

Wall Characteristics: Right Side (facing house)

<u>Construction</u>: Wood Frame / Wood Frame with Rigid Foam Sheathing / Wood Frame with Optimum Value Engineering (OVE) / Structural Brick / Concrete Block or Stone / Straw Bale

Exterior Finish: Wood Siding, Fiber Cement, Composite Shingle or Masonite Siding / Stucco / Vinyl Siding / Aluminum Siding / Brick Veneer

Wall Insulation: R-0 / R-3 / R-7 / R-11 / R-13 / R-15 / R-19 / R-21 / R-27 / R-33 / R-38

Window Characteristics: Right Side (facing house)

Panes: Single-pane / Double-pane / Triple-pane

Frame Type: Aluminum / Aluminum with Thermal Break / Wood or Vinyl

<u>Glazing Type</u>: Clear / Tinted / Solar-control low-E / Solar-control low-E, argon gas fill / Insulating low-E / Insulating low-E, argon gas fill

<u>-OR- Actual window specifications</u> = <u>U-Factor</u> (from 0.01 – 5): <u>SHGC</u> (from 0 – 1): _____

Wall Characteristics: Left Side (facing house)

<u>Construction</u>: Wood Frame / Wood Frame with Rigid Foam Sheathing / Wood Frame with Optimum Value Engineering (OVE) / Structural Brick / Concrete Block or Stone / Straw Bale

Exterior Finish: Wood Siding, Fiber Cement, Composite Shingle or Masonite Siding / Stucco / Vinyl Siding / Aluminum Siding / Brick Veneer

Wall Insulation: R-0 / R-3 / R-7 / R-11 / R-13 / R-15 / R-19 / R-21 / R-27 / R-33 / R-38

Window Characteristics: Left Side (facing house)

Panes: Single-pane / Double-pane / Triple-pane

Frame Type: Aluminum / Aluminum with Thermal Break / Wood or Vinyl

<u>Glazing Type</u>: Clear / Tinted / Solar-control low-E / Solar-control low-E, argon gas fill / Insulating low-E / Insulating low-E, argon gas fill

<u>-OR- Actual window specifications</u> = <u>U-Factor</u> (from 0.01 – 5): <u>SHGC</u> (from 0 – 1): _____

System 1 % of floor area served:

Heating (System 1)

<u>Type of Heating 1 System</u>: None / Central gas furnace / Room (through-the-wall) gas furnace / Propane (LPG) furnace / Oil furnace / Electric furnace / Electric heat pump / Ductless mini split / Electric baseboard heater / Gas boiler / Oil boiler / Propane (LPG) Boiler / Ground coupled heat pump / Wood Stove / Pellet Stove

<u>Heating System 1 Efficiency:</u> Do you know the actual heating system efficiency?: Yes / No (before answering "No", can you use the Home Energy Score Assessor Calculator to determine the approximate efficiency value?)

Efficiency Value (AFUE or HSPF): _____ OR Year Installed: _____

Cooling (System 1)

<u>Type of Cooling 1 System</u>: None / Central air conditioner / Room air conditioner / Electric heat pump / Ductless mini split / Ground coupled heat pump / Direct Evaporative Cooling

Cooling System 1 Efficiency: Do you know the actual cooling system efficiency?: Yes / No (before answering "No", can you use the Home Energy Score Assessor Calculator to determine the approximate efficiency value?)

Efficiency Value (SEER or EER): ______OR Year Installed: _____

Duct (System 1)

<u>Duct Location 1 (#1):</u> Conditioned Space / Unconditioned basement / Vented crawlspace / Unvented crawlspace / Unconditioned attic

Percentage of Ducts in this location: _____ Are ducts sealed?: Yes / No Are ducts insulated?: Yes / No

<u>Duct Location 1 (#2)</u>: Conditioned Space / Unconditioned basement / Vented crawlspace / Unvented crawlspace / Unconditioned attic

Percentage of Ducts in this location: _____ Are ducts sealed?: Yes / No Are ducts insulated?: Yes / No

<u>Duct Location 1 (#3)</u>: Conditioned Space / Unconditioned basement / Vented crawlspace / Unvented crawlspace / Unconditioned attic

Percentage of Ducts in this location: _____ Are ducts sealed?: Yes / No Are ducts insulated?: Yes / No

System 2 % of floor area served:

Heating (System 2)

<u>Type of Heating 2 System</u>: None / Central gas furnace / Room (through-the-wall) gas furnace / Propane (LPG) furnace / Oil furnace / Electric furnace / Electric heat pump / Ductless mini split / Electric baseboard heater / Gas boiler / Oil boiler / Propane (LPG) Boiler / Ground coupled heat pump / Wood Stove / Pellet Stove

Heating System 2 Efficiency: Do you know the actual heating system efficiency?: Yes / No (before answering "No", can you use the Home Energy Score Assessor Calculator to determine the approximate efficiency value?)

Efficiency Value (AFUE or HSPF): _____ OR Year Installed: _____

Home Energy Score – Data Collection

5

Cooling (System 2)

<u>Type of Cooling 2 System</u> : None / Central air conditioner / Room air conditioner / Electric heat pump / Ductless mini split / Ground coupled heat pump / Direct Evaporative Cooling			
Cooling System 2 Efficiency:Do you know the actual cooling system efficiency?:Yes / No (before answering "No",can you use the Home Energy Score Assessor Calculator to determine the approximate efficiency value?)			
Efficiency Value (SEER or EER): OR Year Installed:			
Duct (System 2)			
Duct Location 2 (#1): Conditioned Space / Unconditioned basement / Vented crawlspace / Unvented crawlspace / Unconditioned attic			
Percentage of Ducts in this location: Are ducts sealed?: Yes / No Are ducts insulated?: Yes / No			
Duct Location 2 (#2): Conditioned Space / Unconditioned basement / Vented crawlspace / Unvented crawlspace / Unconditioned attic			
Percentage of Ducts in this location: Are ducts sealed?: Yes / No Are ducts insulated?: Yes / No			
Duct Location 2 (#3): Conditioned Space / Unconditioned basement / Vented crawlspace / Unvented crawlspace / Unconditioned attic			
Percentage of Ducts in this location: Are ducts sealed?: Yes / No Are ducts insulated?: Yes / No			
Hot Water:			
Water Heater Type: Electric storage / Natural gas storage / LPG storage / Oil storage / Electric heat pump			
Hot Water System Efficiency: <u>Do you know the actual water heater energy factor?</u> : Yes / No (before answering "No", can you use the Home Energy Score Assessor Calculator to determine the approximate energy factor?)			
Energy Factor (between 0-1): OR Year Installed:			
Photovoltaic (PV) System			
Year Installed: Direction Panels Face: N / NE / E / SE / S / SW / W / NW			
# of Panels: or DC Capacity:			

Notes:

Assessment Checklist

General Info:

- 🗌 Year
- □ # of bedrooms
- □ Blower door test?
- □ Professionally air sealed?
- □ Window specs?

<u>Outside</u>

- □ House Orientation
- \Box # of stories
- □ Roof: Predominant exterior finish
 - □ Color
- □ Walls: Same type on all sides?
 - □ Construction type
 - □ Exterior finish
- □ Windows: Same on all sides?
 - □ Panes
 - □ Frame
 - □ Glazing

<u>Inside</u>

- □ Attic
 - □ Roof Construction
 - □ Insulation type & amount
 - \Box Air sealed?
 - Air handler present? Type and year
 - □ Ducts?: Insulated? Sealed?

- □ Upper Floor
 - □ Square feet
 - □ Ceiling Height
 - □ Skylights?
 - □ Windows

□ Main Floor

- □ Square feet
- □ Ceiling Height
- □ Skylights?
- □ Windows
- □ Walls & insulation
- □ Crawlspace insulation type & amount
 - □ Ducts?: Insulated? Sealed?
- □ Basement Conditioned?
 - □ Square feet
 - □ Ceiling Height
 - □ Windows
 - □ Walls & insulation
- HVAC Equipment
 - □ Type?
 - □ Year or SN?
- □ Water Heater
 - □ Type?
 - □ Year or SN?

🗌 PV

- □ Age
- □ Orientation
- □ # of Panels or Capacity

Window Dimensions:

Layout:

Public reporting burden for this collection of information is estimated to average 60 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Office of the Chief Information Officer, Records Management Division, IM-23, Paperwork Reduction Project (1910-**5184**), U.S. Department of Energy, 1000 Independence Ave SW, Washington, DC, 20585-1290; and to the Office of Management and Budget (OMB), OIRA, Paperwork Reduction Project (1910-**5184**), Washington, DC 20503.

Home Energy Score – Data Collection